

CLAIMS

What is claimed is:

1. A calcium independent method of inhibiting cell surface receptor-mediated signaling comprising contacting a cell with an agent which induces CD81-mediated signal transduction.
2. A method according to Claim 1, wherein the cell surface receptor is selected from the group consisting of FcεRI and FcγRIII.
3. A calcium-independent method of inhibiting degranulation comprising contacting a cell with an agent which induces CD81-mediated signal transduction.
4. A method according to Claim 3, wherein the degranulation is mediated by the FcεRI receptor.
5. A calcium independent method of inhibiting cell surface receptor-mediated signaling in a mammal comprising administering to the mammal an effective amount of an agent which induces CD81-mediated signal transduction.
6. A method according to Claim 5, wherein the cell surface receptor is selected from the group consisting of FcεRI and FcγRII
7. A calcium independent method of inhibiting degranulation induced by a cell surface receptor-mediated signal in a mammal comprising administering to the mammal an effective amount of an agent which induces CD81-mediated signal transduction.
8. A method of treating an allergic condition in a mammal comprising administering to the mammal an effective amount of an agent which induces CD81-mediated signal transduction.

9. A method according to Claim 8, wherein the allergic condition is asthma, hay fever or atopic eczema.
10. A calcium independent method of enhancing cell surface receptor-mediated signaling comprising contacting a cell with an agent which inhibits CD81-mediated signal transduction.
11. A method according to Claim 10, wherein the cell surface receptor is selected from the group consisting of FcεRI and FcγRIII.
12. A calcium independent method of enhancing degranulation comprising contacting a cell with an agent which inhibits CD81-mediated signal transduction.
- 10 13. A method according to Claim 12, wherein the degranulation is mediated by the FcεRI receptor.
14. A calcium independent method of enhancing cell surface receptor-mediated signaling in a mammal comprising administering to the mammal an effective amount of an agent which inhibits CD81-mediated signal transduction.
- 15 15. A method according to Claim 14, wherein the cell surface receptor is selected from the group consisting of FcεRI and FcγRIII.
16. An assay for identifying agents which alter CD81-mediated signal transduction, comprising the steps of:
- 20 a) combining a cell bearing CD81 with an agent to be tested under conditions suitable for CD81-mediated signal transduction; and
- b) determining the level of CD81-mediated signal transduction, wherein if the level of CD81-mediated signal transduction is altered relative to a control, the agent alters CD81-mediated signal transduction.

17. An assay for identifying agents which alter calcium independent CD81-mediated regulation of cell surface receptor signaling, comprising the steps of:
- 5 a) combining a cell bearing CD81 and an appropriate cell surface receptor with an agent which alters CD81-mediated signal transduction under conditions suitable for signal transduction by CD81 and the cell surface receptor; and
- b) determining the level of cell surface receptor signaling; wherein if the level of cell surface receptor signaling is altered relative to a control, the agent alters calcium independent CD81-mediated regulation of cell
- 10 surface receptor signaling.
18. A method according to Claim 17, wherein the cell surface receptor is selected from the group consisting of FcεRI and FcγRIII.
19. A method of inhibiting passive cutaneous anaphylaxis in a mammal comprising administering to the mammal an effective amount of an agent which enhances
- 15 CD81-mediated signal transduction.
20. A method according to Claim 19, wherein the agent is an anti-CD81 monoclonal antibody.